

Navicat各版本功能对比表

Navicat for MySQL 功能列表	Win 企业	Win 标准	Win E	Mac 企业	Mac 标 准	Mac E	Linux 企业	Linux 标准	Linux E
连接管理和导览									
MySQL 服务器 3.21 或以上的版本、DrizzleOurDelta、Percona 服务器	●	●	●	●	●	●	●	●	●
MariaDB 5.1 或以上的版本	●	●	●	●	●	●	●	●	●
多重本机或远程服务器连接	●	●	●	●	●	●	●	●	●
通过 SSH 或 HTTP 连接到服务器	●	●	●	●	●	●	●	●	●
SSL 安全连接	●	●	●	●	●	●	●	●	●
保持连接	●	●	●	●	●	●	●	●	●
导出或导入连接设置	●	●	●	●	●	●	●	●	●
Navicat Cloud									
同步连接	●	●	●	●	●	●	●	●	●
同步查询	●	●	●	●	●	●	●	●	●
同步模型	●			●			●		
同步虚拟组	●	●		●	●		●	●	
数据查看器和编辑器									
网格查看	●	●	●	●	●	●	●	●	●
表单查看	●	●		●	●		●	●	
文本,十六进制 和 BLOB 的查看器或编辑器	●	●	●	●	●	●	●	●	●
备注查看器代码高亮显示	●	●	●				●	●	●
HTML 代码数据的网页查看器	●	●	●				●	●	●
框选择和编辑多个单元格	●	●	●				●	●	●
复制和粘贴已选择的记录	●	●	●	●	●	●	●	●	●
复制已选择的记录为 INSERT 或 UPDATE 语句	●	●	●	●	●	●	●	●	●
自定义显示格式	●	●	●				●	●	●
递增搜索、排序和格式化表网格	●	●	●	●	●	●	●	●	●
搜索列	●	●	●	●	●	●	●	●	●
查找和替换	●	●	●	●	●	●	●	●	●
原始数据模式编辑：应用 MySQL 内建函数	●	●	●	●	●	●	●	●	●
外键数据选择：找到参考表中可用的值	●	●		●	●		●	●	
筛选记录	●	●		●	●		●	●	
设置每页显示记录的数	●	●		●	●		●	●	

SQL 处理								
视觉化 SQL 创建工具	●	●		●	●	●	●	●
创建参数查询	●	●	●	●	●	●	●	●
自动完成代码	●	●		●	●	●	●	●
SQL 代码美化或简化	●	●		●	●	●	●	●
多重 SQL 编辑器和语法高亮显示功能	●	●	●	●	●	●	●	●
代码折叠、高亮显示符合的文本和括号	●	●	●	●	●	●	●	●
含引号复制 SQL	●	●	●	●	●	●	●	●
自动换行	●	●	●	●	●	●	●	●
放大或缩小 SQL 编辑器	●	●	●	●	●	●	●	●
在 SQL 编辑器中增强的查找和替换选项	●	●	●	●	●	●	●	●
运行前预览 SQL	●	●	●	●	●	●	●	●
返回多个结果集	●	●	●	●	●	●	●	●
在外部编辑器中打开查询文件	●	●	●	●	●	●		●
SQL 命令列界面	●	●	●	●	●	●		
数据模型工具								
逆向工程	●			●		●	●	●
创建多个模式的模型	●			●		●	●	●
多种图表符号，如 Crow's Foot, IDEF1x 和 UML	●			●		●	●	●
创建、编辑或删除数据库对象，视觉化设置它们的关系	●			●		●	●	●
对齐和分布数据库对象	●			●		●	●	●
在图表搜索表	●			●		●	●	●
自动调整版面	●			●		●	●	●
添加顶点、层、图像、笔记、标签和形状	●			●		●	●	●
放大或缩小 ER 图表	●			●		●	●	●
比对和同步数据库或模型	●			●		●	●	●
生成复杂的 SQL 或 DDL	●			●		●	●	●
多页打印预览	●			●		●	●	●
打印数据库图表为 PDF 文件	●			●		●	●	●
保存数据库图表为一个图形文件，即 PNG、SVG	●			●		●	●	●
保存数据库图表为一个图形文件，即 PNG、SVG								
从 ODBC 导入数据	●	●		●	●	●		

服务器监控 - 查看或改变系统变量 和服务器的状态信息	●	●		●	●		●	●	
报表管理工具									
报表创建工具	●	●		●	●		●	●	
报表查看器	●	●		●	●		●	●	
其他实用的功能									
ER 图表查看	●	●		●	●		●	●	
自定义连接颜色	●	●		●	●		●	●	●
数据库范围搜索	●	●		●	●		●	●	
连接树筛选和对象搜索筛选	●	●		●	●		●	●	●
备份数据库或表为 SQL 脚本	●	●		●	●		●	●	●
运行 SQL 脚本	●	●		●	●		●	●	●
复制、清空或截断表	●	●		●	●		●	●	●
在桌面创建表或查看快捷方式	●	●		●	●		●		
收藏夹列表	●	●		●	●		●	●	
自动保存查询、函数等	●	●		●	●		●	●	●
打印数据库或表结构	●	●		●	●		●	●	
停靠或选项卡式窗口	●	●		●	●		●	●	●
虚拟组 : 提供逻辑组织连接和对象	●	●		●	●		●	●	
在命令列运行设置文件	●	●		●	●		●	●	
日志文件 : 追踪 Navicat 中已运行的动作	●	●		●	●		●	●	●
复制连接信息到剪贴板	●	●		●	●		●	●	●